

1
2
3C
4
5
6
7
8
9
10
11

★★★★★
SILVER-LINE® External Micrometer
DIN 863

- large measuring range
- with adjustable anvil
- with lightmetal frame
- with 50 mm spindle revolution
- drum and sleeve matt chrome finish
- frame hammer blow lacquered, carbide surfaces, lapped, spindle hardened and fine ground
- locking wheel for quick and precise fixing
- with ratchet for constant measuring pressure
- with adjusting key, without setting gauges, please see on page 102

- Options**
- insulated handle available on request
 - surcharge (art.-no. 230290/1)

Wooden cases for art.-no. 234205 - 234211 to be found on page 104



ART N° 230290/1



ART N°	mm	mm	ø mm	mm	spindle-ø mm	mm	KG	ART N° CC
234205	0 - 300	0.1 / 0.01	24	1.0	10.0	0.006	1.900	2394018
234206	300 - 600	0.1 / 0.01	24	1.0	10.0	0.009	3.500	2394018
234207	600 - 900	0.1 / 0.01	24	1.0	10.0	0.012	5.400	2394018
234208*	900 - 1200	0.1 / 0.01	24	1.0	10.0	0.015	9.000	2394019
234209*	1200 - 1500	0.1 / 0.01	24	1.0	10.0	0.018	12.900	2394019
234210*	1500 - 1800	0.1 / 0.01	24	1.0	10.0	0.023	16.600	2394019
234211*	1700 - 2000	0.1 / 0.01	24	1.0	10.0	0.025	19.200	2394019

★★★★★
SILVER-LINE® External Micrometer

- for measuring plates and panels
- 100 step graduation
- with deep frame
- drum and sleeve matt chrome finish
- frame hammer blow grey lacquered
- carbide surfaces, lapped, spindle hardened and fine ground
- without insulation plates
- with ratchet for constant measuring pressure



ART N°	mm	mm	ø mm	mm	spindle-ø mm	mm	KG	ART N° CC
232611	0 - 25 x 50	0.01	24	1.0	6.5	0.002	0.380	2394013
232612	0 - 25 x 100	0.01	24	1.0	8.0	0.003	0.800	2394013
232613	0 - 25 x 150	0.01	24	1.0	6.5	0.005	1.300	2394013