


- reading from right to left
- flexible version, cross section
- stainless spring steel
- non glare, matt surface
- etched graduation for a clear reading

type A = mm / mm top and bottom 1/1 mm graduation

type B = ½ mm / mm top ½ mm and bottom 1/1 mm graduation

type C = inch / mm top 1/64 ; 1/32 and 1/16 inch graduation, bottom ½ mm and 1/1 mm



Graduation up to 500 mm length with continuing mm graduation at type A and type B.
The rules from 1000 mm up to 4000 mm length with continuing cm graduation at type A and type B.
The rules up to 4000 mm length according to EC Class II and are qualified as reference pieces.
Therefore please order our calibration certificate together with the rule.
Steel Rules more than 4000 mm length are made according to workshop standard.



ART NO			mm		KG	ART NO CC
type A	type B	type C				
1011010010	1011020010	1011030010	100	13 x 0.5	0.006	1094001
1011010015	1011020015	1011030015	150	13 x 0.5	0.008	1094001
1011010020	1011020020	1011030020	200	13 x 0.5	0.010	1094001
1011010025	1011020025	1011030025	250	13 x 0.5	0.012	1094001
1011010030	1011020030	1011030030	300	13 x 0.5	0.015	1094001
1013010015	1013020015	1013030015	150	18 x 0.5	0.013	1094001
1013010030	1013020030	1013030030	300	18 x 0.5	0.023	1094001
1013010040	1013020040	1013030040	400	18 x 0.5	0.028	1094005
1013010050	1013020050	1013030050	500	18 x 0.5	0.034	1094005
1013010100	1013020100	1013030100	1000	18 x 0.5	0.070	1094010
1013010150	1013020150	1013030150	1500	18 x 0.5	0.080	1094015
1013010200	1013020200	1013030200	2000	18 x 0.5	0.115	1094020
1013010250	1013020250	1013030250	2500	18 x 0.5	0.140	1094025
1013010300	1013020300	1013030300	3000	18 x 0.5	0.180	1094030
1013010350	1013020350	1013030350	3500	18 x 0.5	0.200	1094035
1013010400	1013020400	1013030400	4000	18 x 0.5	0.225	1094040
1013010500	1013020500	-	5000	18 x 0.5	0.275	1094050
1013010600	1013020600	-	6000	18 x 0.5	0.355	1094060
1017010050	1017020050	1017030050	500	20 x 1.0	0.080	1094005
1017010100	1017020100	1017030100	1000	20 x 1.0	0.150	1094010
1017010150	1017020150	1017030150	1500	20 x 1.0	0.230	1094015
1017010200	1017020200	1017030200	2000	20 x 1.0	0.280	1094020
1017010250	1017020250	1017030250	2500	20 x 1.0	0.370	1094025
1017010300	1017020300	1017030300	3000	20 x 1.0	0.450	1094030
1017010350	1017020350	1017030350	3500	20 x 1.0	0.530	1094035
1017010400	1017020400	1017030400	4000	20 x 1.0	0.610	1094040
1017010500	1017020500	-	5000	20 x 1.0	0.730	1094050
1017010600	1017020600	-	6000	20 x 1.0	0.890	1094060